

Maloprodajni i izložbeni prostori

STONECRETE d.o.o.

Dimitrija Tucovića 28b, **11120 Beograd**,
+381 11 3837 257; 3837 258

Attruim Art d.o.o.

Žička 27, 31000 Užice
+381 31 512 994

SGS d.o.o.

Industrijska 7, 34000 Kragujevac
+381 34 300 180

Elit keramika d.o.o.

Knjaza Miloša 59, 31210 Požega
+381 31 825 024

Agencija 4 DN Plus d.o.o.

Knjaza Miloša 45, 18300 Pirot
+381 10 320 958

Inspirado dizajnirana keramika

Bele njive 5, 21000 Novi Sad
+381 21 44 77 99; +381 65 244 77 99

Attruim d.o.o.

Ibarski put bb, 32212 Preljina - Čačak
+381 32 380-820

Fontana d.o.o.

Dušanova 68, 14000 Valjevo
+381 14 232 906

Tomić APR IZR

Zlatiborska 22/a, 31310 Čajetina
+381 31 831 127



1. priprema lepka



2. priprema površine



3. nanošenje lepka



4. lepljenje kamena



5. fugiranje kamena



6. završno čišćenje i lakiranje

STONECRETE d.o.o.

11050 Mali Mokri Lug - Beograd, ul. Narodnog Fronta 86A, Tel: +381 11 347 0187, 347 6413
Fax: +381 11 288 2948, Mob: +381 64 641 5419, 64 641 5418

www.stonecrete.rs - www.stampanibeton.rs

e-mail: office@stonecrete.rs



Sofisticirana nota dekorativnog kamena
Sophisticated touch of decorative stone

LAMELLAR STONE



Ekonomičnost

Dekoratívni kamen svojom lepotom u potpunosti odslikava teksturu I izgled prirodnog kamena, pružajući korisniku mogućnost da sa manje novca dočara duh elegancije I prirodnosti.

10.101 LAMELLAR STONE								
TIP Type	Dimenzije Dimensions	Debljina Width	Kutija Box	Kutija Box	Kutija Box	Paleta Packing	Paleta Packing	Paleta Packing
Jed. mere Measur.Unit	cm	cm	m ² - m ¹	kom	kg	m ² - m ¹	kutija	kg
Ravni Flat	9.7 x 38.7	2.0-3.5	0.9	24	25	27	30	750
Uglovi Corner	20x9.7 / 9.5x9.7	2.0-3.5	2.10	22	22.30	63	30	669


10.101/1 White



10.101/2 Cream



10.101/3 Peach



10.101/4 Maplewood



10.101/5 Harvest Sand



10.101/6 Rust Brown



10.101/7 Gold



10.101/8 Grey



LEDGE STONE



Economy

Accompanied by its beauty the decorative stone entirely represent the texture and the appearance of the natural stone. It enables the user to afford elegance and naturalness without higher expenses.

10.102 LEDGE STONE								
TIP Type	Dimenzije Dimensions	Debljina Width	Kutija Box	Kutija Box	Kutija Box	Paleta Packing	Paleta Packing	Paleta Packing
Jed. mere Measur.Unit	cm	cm	m ² - m ¹	kom	kg	m ² - m ¹	kutija	kg
Ravni Flat	9.7 x 38.7	1.5-3.0	1.20	32	31	36	30	930
Uglovi Corner	21x9.7 / 8.5x9.7	2.0-3.0	3	31	25	90	30	750

10.102/1 White



10.102/2 Cream



10.102/3 Peach



10.102/4 Maplewood



10.102/5 Harvest Sand



10.102/6 Rust Brown



10.102/7 Gold



10.102/8 Grey



LITHOS STONE




10.103/1 White



10.103/2 Cream



10.103/3 Peach



10.103/4 Maplewood




10.103/5 Harvest Sand



10.103/6 Rust Brown



10.103/7 Gold



10.103/8 Grey



10.103 LITHOS STONE

TIP Type	Dimenzije Dimensions	Debljina Width	Kutija Box	Kutija Box	Kutija Box	Paleta Packing	Paleta Packing	Paleta Packing
Jed. mere Measur.Unit	cm	cm	m ² - m ¹	kom	kg	m ² - m ¹	kutija	kg
Ravni Flat	9.7 x 38.7	1.5-3.0	1.20	32	27.3	36	30	819
Uglovi Corner	19.5x9.7 / 9.5x9.7	2.0-3.0	3	31	25.00	90	30	750

RAPID STONE



10.109 RAPID STONE		Debljina Width	Kutija Box	Kutija Box	Kutija Box	Paleta Packing	Paleta Packing	Paleta Packing
TIP Type	Dimenzije Dimensions							
Jed. mere Measur.Unit	cm	cm	m ² - m ¹	kom	kg	m ² - m ¹	kutija	kg
Ravni Flat	35x10	2.0-4.0	1	35	38	15	15	520
	30x10							
	25x10							
	20x10							
Uglovi Corner	21x10 14x10	2.0-4.0	2	20	29.00	30	15	435

10.109/1 White



10.109/2 Cream



10.109/3 Ocher



10.109/4 Maplewood



10.109/5 Harvest Sand



10.109/6 Rust Brown



10.109/7 Gold



10.109/8 Grey



RUSTIC STONE



10.110/3 Ocher



10.110/4 Grey



10.110/1 White



10.110/2 Cream



Mogućnost odabira modela i velike palete nijansi

Kalupi za odlivanje dekorativnog kamena dobijaju se direktnim oslikavanjem reljefa prirodnog kamena, što nam je s jedne strane omogućilo da zadržimo prirodnu formu, a sa druge da paletu boja dekorativnog kamena znatno proširimo u odnosu na prirodni. Postoji širok spektar boja deko kamena, od najsvetlijih do najtamnijih nijansi, koje mogu da zadovolje i najistančaniji ukus.

10.110 RUSTIC STONE		Debljina Width	Kutija Box	Kutija Box	Kutija Box	Paleta Packing	Paleta Packing	Paleta Packing
TIP Type	Dimenzije Dimensions							
Jed. mere Measur.Unit	cm	cm	m ² - m ¹	kom	kg	m ² - m ¹	kutija	kg
Ravni Flat	razne dimenzije	0.3-6.0	1.5	67-76	48.8	22.5	15	732



OLYMPIA STONE



10.108/1 Cream



10.108/2 Gold



10.108/3 Brown



10.108/4 Grey



The variety of models and wide palette of nuances

The moulding of the decorative stone is carried out by directly portraying the relief of the natural stone, which on one hand enabled us to maintain the natural shape and on the other to considerably widen the colour palette in comparison to the natural stone. The colours of the decorative stone ranging from bright to dark shades can satisfy the most sophisticated tastes and preferences.

10.108 OLYMPIA STONE		Debljina	Kutija	Kutija	Kutija	Paleta	Paleta	Paleta
TIP	Dimenzije	Width	Box	Box	Box	Packing	Packing	Packing
Type	Dimensions							
Jed. mere	cm	cm	m ² - m ¹	kom	kg	m ² - m ¹	kutija	kg
Measur.Unit								
Ravni	razne dimenzije	2.0-3.5	1	40-42	32	30	30	960
Flat								
Uglovi	razne dimenzije	2.0-3.5	2	9	22.8	60	30	684
Corner								

BASIC STONE



10.104/1 Cream



10.104/2 Harvest Sand



10.104/3 Gold



10.104/4 Grey



Jednostavnost obrade i ugradnje

Za obradu i postavljanje dekorativnog kamena nije potrebna posebna obuka. Ugradnju može vršiti svaki keramičar:

čišćenje i odmašćivanje zida

impregnacija latexom ili akrilnom emulzijom

nanošenje mrežice

nanošenje lepka (preporuka: fasadni stone fix) i na podlogu i na kamen

premazivanje kamena zaštitnim fiksatorom (lakom) posle 24-48 časa.

10.104 BASIC STONE		Debljina Width	Kutija Box	Kutija Box	Kutija Box	Paleta Packing	Paleta Packing	Paleta Packing
TIP Type	Dimenzije Dimensions							
Jed. mere Measur.Unit	cm	cm	m ² - m ¹	kom	kg	m ² - m ¹	kutija	kg
Ravni Flat	razne dimenzije	1.5-2.5	1.0	53-56	22	30	30	660
Uglovi Corner	razne dimenzije	1.5-2.5	1.40	12	13.60	42	30	408



ATHOS STONE



10.107/1 Brown



10.107/2 Cream



10.107/3 Ocher



10.107/4 Maplewood



10.107/5 Harvest Sand



10.107/6 Rust Brown



10.107/7 Gold



10.107/8 Grey



10.107 ATHOS STONE		Debljina Width	Kutija Box	Kutija Box	Kutija Box	Paleta Packing	Paleta Packing	Paleta Packing
TIP Type	Dimenzije Dimensions							
Jed. mere Measur.Unit	cm	cm	m ² - m ¹	kom	kg	m ² - m ¹	kutija	kg
Ravni Flat	razne dimenzije	2.0-4.0	1.5	30-50	60	22.5	15	900
Uglovi Corner	razne dimenzije	2.0-4.0	2.00	21	31.00	30	15	465



LOAM BRICK



10.105/1 Cream 1,4



10.105/2 Rustica




10.105/3 Red



10.105/4 Terra Cotta




10.105/5 Brown



10.105/6 Grey

**Smanjena količina
otpadnog materijala**

U odnosu na prirodni
kamen prilikom čije
ugradnje otpada
preko 15% od
ukupne količine
utrošenog materijala,
prilikom ugradnje
dekorativnog kamena
otpada samo 2%.





10.105 LOAM BRICK								
TIP Type	Dimenzije Dimensions	Debljina Width	Kutija Box	Kutija Box	Kutija Box	Paleta Packing	Paleta Packing	Paleta Packing
Jed. mere Measur.Unit	cm	cm	m ² - m ¹	kom	kg	m ² - m ¹	kutija	kg
Ravni Flat	23.8 x 7.8	1.0-2.0	1.0	54	19	30	30	570
Uglovi Corner	19.5x7.8 / 8x7.8	2.0-3.0	2.50	31	19.1	75	30	573

ROMAN BRICK



10.106 ROMAN BRICK		Debljina	Kutija	Kutija	Kutija	Paleta	Paleta	Paleta
TIP	Dimenzije	Width	Box	Box	Box	Packing	Packing	Packing
Type	Dimensions							
Jed. mere	cm	cm	m ²	kom	kg	m ²	kutija	kg
Measur.Unit								
Ravni								
Flat	4.5 x 2.75	1.0-1.5	1.50	115	24	45	30	720



Minimal rest material

In relation to natural stone, where the percent - age of the rest material is about 10% of the total quantity, the installing of the decorative stone makes up to 2% of the rest material.



10.111/1 White



10.111/2 Cream



10.111/3 Harvest Sand



10.111/4 Grey



The simplicity of treating (working) and installing

There are no special qualifications needed to treat and install the decorative stone as it is the case with the natural stone. The installing of tiles can be carried out by the tiler of your choice:

- the cleaning and removing the fat of the walls
- impregnating with latex or acryl emulsion
- the applying of a mesh
- the applying of an adhesive (recommendation: facade stone fix) on the base as well as on the stone

- coating of the stone with a protective layer after 24-48 hours.

Napomene

- ne koristiti na pločama koje nisu dobro učvršćene
- ne postavljati na obojene ili masne podloge
- ne prekrivati široke spojeve dekorativnim kamenom
- ne postavljati u područjima ekstremnih temperatura
- spoljno postavljanje mora biti barem 5cm iznad zemlje
- ne postavljati na jako suve i upijajuće podloge, ako nisu prethodno natopljene vodom
- ne postavljati na vlažan malter ili malter oslabljen zbog izloženosti vlažnosti
- ne prati pod visokim pritiskom (highpressure water jets) ako niste dovoljno udaljeni
- ako se kamen zaprlja mortom ili lepkom prilikom postavljanja, obavezno odmah očistite vodom i spužvom
- ne postavljati u bazenima ni rubovima bazena (hlor može izbeliti kamen)
- ne postavljati na područja pod stalnim uticajem soli ili drugih hemikalija korišćenih za otapanje snega
- ne koristiti nepreporučeni lepak
- ne tretirati kamen kiselinama

Postavljanje dekorativnog kamena

Dekoratívni kamen može biti postavljen direktno na grubo neobrađeni zid, preko bilo kojeg tipa maltera, na pravilno usidreno hrapavu podlogu itd. Ostale ploče, kao što su drvo, metalne konstrukcije I drugi prikladni materijali moraju se prethodno pripremiti. Ako se kamen nanosi na površinu koja je pre bila na neki način obrađena ili obojena, ona se mora ispravno pripremiti kako bi se proizvod zalepio na čvrstu podlogu.

Radna snaga I održavanje

Jedna od prednosti naših proizvoda je ta da ih može postavljati bilo ko s osnovnim građevinskim iskustvom bez pomoći kvalifikovanog građevinskog radnika. Većina ugrađenog kamena ne zahteva posebno održavanje. Kamen koji je u prljavom ili prašnjavom okruženju povremeno treba oprati vodom.

Vrste podloge

Stonecrete dekorativni kamen se postavlja preko zidnih podloga koje mogu biti težih (betonski zid, blokovi, cigla...) I lakših (gipsane poloče) konstrukcija.

10.112/1 Brown




10.112/2 Cream



10.112/3 Red



10.112/4 Terra Cotta Old



10.111 PILIO STONE								
TIP Type	Dimenzije Dimensions	Debljina Width	Kutija Box	Kutija Box	Kutija Box	Paleta Packing	Paleta Packing	Paleta Packing
Jed. mere Measur Unit	cm	cm	m ² - m ¹	kom	kg	m ² - m ¹	kutija	kg
Ravni Flat	15 x 60, 15 x 40 15 x 20	2 - 3.5	1.6	22	60	24	15	900
Uglovi Corner	25 x 15 / 15 x15	2 - 3.5						

